



Docket No.: CELLTH 3.0-003 CONT CONT II
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:
Warrell et al.

Patent No.: 6,861,076

Issued: March 1, 2005

For: PROCESS FOR PRODUCING ARSENIC
TRIOXIDE FORMULATIONS AND
METHODS FOR TREATING CANCER
USING ARSENIC TRIOXIDE OR
MELASOPROL

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR 1.323

Dear Sir:

Enclosed herewith is an original and one copy of a Certificate of Correction with respect to the above-identified U.S. Patent. You are hereby authorized to charge Deposit Account No. 12-1095 in the amount of \$100 to cover the required fee for filing a Certificate of Correction under § 1.323.

These errors were inadvertent, occurred in good faith and do not involve any changes which constitute new matter.

AUG 09 2006

Application No.: 10/758,994

Docket No.: CELLTH 3.0-003 CONT CONT I

We look forward to early return of the copy of the
Certificate of Correction duly certified.

Dated: May 3, 2005

Respectfully submitted,

By Shawn P. Foley

Shawn P. Foley

Registration No.: 33,071

LERNER, DAVID, LITTENBERG,

KRUMHOLZ & MENTLIK, LLP

600 South Avenue West

Westfield, New Jersey 07090

(908) 654-5000

Attorney for Applicant.

562234_1.DOC

AUG 09 2006

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 1 of 2

PATENT NO. : 6,861,076
APPLICATION NO. : 10/758,994
ISSUE DATE : March 1, 2005
INVENTOR(S) : Raymond P. Warrell, Jr., Pier Paolo Pandolfi, and Janice L. Gabrilove

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3, line 3, "chinese" should read --Chinese--;
Column 3, line 17, "in vitro" should read --*in vitro*--;
Column 3, line 50, "above" should read --above,--;
Column 4, line 42, "Arsobale" should read --Arsobale®--;
Column 5, line 63, "cell-s" should read --cells--;
Column 6, line 62, "oesophagus" should read --esophagus--;
Column 7, lines 10-11, "in vitro can readily be achieved in vivo."
should read --*in vitro* can readily be achieved *in vivo*--;
Column 7, line 20, "is" should read --are--;
Column 7, line 36, "(PLXF-RARa)" should read --(PLXF-RAR α)--;
Column 7, line 45, "are" should read --is--;
Column 8, line 66, "sterilized" should read --sterilized,--;
Column 9, line 56, "is" should be deleted;
Column 12, line 19, "formulation" should read --formulations--;
Column 12, line 67, "in vitro" should read --*in vitro*--;
Column 14, line 3, "in vitro" should read --*in vitro*--;
Column 14, line 14, "in vitro" should read --*in vitro*--;
Column 14, line 38, "in vitro" should read --*in vitro*--;
Column 14, line 39, "in vivo" should read --*in vivo*--;
Column 15, line 13, "This data indicates" should read --These data
indicate--;
Column 15, lines 46-47, "in vitro," should read --*in vitro*--;
Column 15, line 50, "ex vivo" should read --*ex vivo*--;
Column 15, line 54, "in vivo" should read --*in vivo*--;
Column 15, line 65, "is" should read --are--;

MAILING ADDRESS OF SENDER (Please do not use customer number below): U.S. Patent No. 6,861,076
Shawn P. Foley
LERNER, DAVID, LITTENBERG, KRUMHOLZ & MENTLIK, LLP
600 South Avenue West
Westfield, New Jersey 07090

AUG 09 2006

Column 16, line 67, "in situ" should read --*in situ*--;
Column 17, line 13, "in situ" should read --*in situ*--;
Column 17, line 20, "board" should read --board.--;
Column 18, line 6, "in situ" should read --*in situ*--;
Column 20, line 13, "in situ" should read --*in situ*--;
Column 20, lines 16-17, "in situ" should read --*in situ*--;
Column 20, line 29, "in vivo" should read --*in vivo*--;
Column 21, line 4, "in situ" should read --*in situ*--;
Column 21, line 28, "in vitro" should read --*in vitro*--;
Column 21, line 29, "10-4" should read --10⁻⁴--;
Column 21, line 67, "\" should read --†--;
Column 22, line 10, "in vitro" should read --*in vitro*--;
Column 22, line 32, "the" should be deleted;
Column 22, line 66, "in situ" should read --*in situ*--;
Column 23, line 5, "in vivo" should read --*in vivo*--;
Column 24, line 14, "are" should read --is--;
Column 24, line 17, "are" should read --is--;
Column 24, line 20, "are" should read --is--;
Column 24, line 43, "are" should read --is--;
Column 24, line 47, "are" should read --is--; and
Column 24, line 49, "are" should read --is--;

MAILING ADDRESS OF SENDER (Please do not use customer number below): U.S. Patent No. 6,861,076

Shawn P. Foley

LERNER, DAVID, LITTENBERG, KRUMHOLZ & MENTLIK, LLP

600 South Avenue West

Westfield, New Jersey 07090